




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : H04B 1/40	A1	(11) International Publication Number: WO 00/70781 (43) International Publication Date: 23 November 2000 (23.11.00)
(21) International Application Number: PCT/KR00/00439 (22) International Filing Date: 10 May 2000 (10.05.00) (30) Priority Data: 1999/8226 U 14 May 1999 (14.05.99) KR (71) Applicant (for all designated States except US): MTEK SEMI-CON CO., LTD. [KR/KR]; RM202, Kyo Dea Venture Tower 1627-1, Seocho-dong, Seocho-gu, Seoul 137-070 (KR). (72) Inventors; and (75) Inventors/Applicants (for US only): JEON, Ki [KR/KR]; 699, Itaewon-dong, Yongsan-gu, Seoul 140-202 (KR). CHOI, Sung, Hyun [KR/KR]; #215-901, Dong-A Apt., Hyoja-chon, 297, Seohyun-dong, Bundang-gu, Seongnam-shi, Kyongki-do 463-050 (KR). (74) Agent: YANG, Soon, Seok; Kangnam-jeil Building, 4th Floor, 822-4, Yoksam-dong, Kangnam-gu, Seoul 135-080 (KR).		(81) Designated States: CN, JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>In English translation (filed in Korean).</i>

(54) Title: MOBILE TERMINAL UNIT



(57) Abstract

The present invention relates to a mobile terminal unit having antenna (141), CPU (131), peripheral circuits (135), vocoder (133), memory unit (137), audio CODEC (139). The present invention further includes a flash memory in the memory unit (137) for saving the MP3 data received from the antenna (141), an interface for communicating data with PC, an MP3 decoder added to the vocoder (133) for converting the MP3 data to PCM data, and a D/A converter for converting the PCM data decoded by the MP3 decoder to audio signal, thereby enabling to save the MP3 data and play the audio signal from the MP3 data.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

MOBILE TERMINAL UNIT

DESCRIPTION

Technical Field

- 5 The present invention relates to a mobile terminal unit, more particularly, to a mobile terminal unit having a function of an MP3 player

Background Art

- 10 Fig. 1 shows a block diagram of one of mobile terminal units according to a related art.

- A mobile terminal unit 100 according to the related art is constituted with an antenna 41, an RF & IF circuit part 21, a BBA(base band analog processor) part 23, a RF interface part 25, a CDMA(code division multiple access processor) part 27, a DFM(digital FM, IS-95A) processor part 29, a CPU part 31, a vocoder part 33, a peripheral circuit part 35, a memory part 37, and a voice CODEC part 39.
- 15

 The peripheral part 35 is further constituted with a UART(universal asynchronous receiver transmit) circuit part, a key pad, SPI, GPIO, a ringer and the like.

 The memory part 37 includes RAM, EPROM, flash memory.

- 20 The vocoder part 33 includes a CDMA vocoder, a DFM vocoder.

 The voice CODEC part 39, in which an AD converter and a DA converter are built, carries out an AD conversion at a transmitting mode, while carries out a DA conversion at a receiving mode.

- 25 When voices signals are transmitted by the mobile terminal unit of the related art, analog signals generated from a microphone is converted into digital signals by the voice CODEC part 39 so as to be sent to the vocoder part 33. When the operation mode is CDMA, the CDMA vcoder in the CDMA processor part 27 and the CDMA vocoder processes the signals. But, when the operation mode is DFM for analog mode such as AMPS, TACT, etc., the DFM vocoder in the DFM processor part 29 and the

vocoder part 33 processes the signals.

An output of the vocoder part 33 is inputted to the CDMA processor part 27 or the DFM processor part 29 to be processed. And, the output of the vocoder part 33 is inputted to the BBA part 23 to be converted into a baseband signal. Then, the
5 output of the BBA part 23 is inputted to the RF & IF circuit part 21 to become a electromagnetic wave signal so as to be transmitted through the antenna 41.

When the mobile terminal unit is on receiving mode, an RF signal received by the antenna is converted into a baseband signal by the RF & IF circuit part 21. Then, the converted RF signal is inputted to the BBA part 23 to be transformed into a digital
10 signal. The digital signal having been processed by the processor parts 27 and 29 is inputted into the vocoder part 33 to be transformed into a PCM(pulse code modulation) type data so as to be inputted to the voice CODEC part 39. Then, the data having been converted into an analog signal by the voice CODEC part 39 is sent to a speaker or an earphone.

15 Such operation is controlled by the CPU part 31 so that a signal for operating the RF & IF circuit part 21 and the BBA part 23 such as offset and gain control is transferred through the RF interface part 25.

Besides, the CPU part 31 controls the whole system such that function of interfacing with the keys and ringing are controlled through the peripheral circuit part
20 35.

The mobile terminal unit according to the related art has functions enough to be used as a personal communication device, which is yet enough to satisfy personal desires. Presently or in the near future, a new terminal unit enabling to perform video and data communications as well as a voice is strongly required.

25

Disclosure of Invention

An object of the present invention is to provide a mobile terminal unit to which an MP3 player function, which enables to store and play digital audio data, is added efficiently.

To achieve these and other advantages and in accordance with the purpose of the present invention, as embodied and broadly described, the present invention includes an antenna(141), a CPU part(131), a peripheral circuit part(135), a vocoder part(133), a memory part(137), and an audio CODEC part(139). And, the mobile terminal unit further includes an MP3 flash memory added to the memory part(137) to store MP3 data, a PC interface added to the peripheral circuit part(135) to transmit/receive data with a PC, an MP3 decoder added to the vocoder part 133 to transform the MP3 data into PCM data, and a D/A converter added to the audio CODEC part(139) to transform the PCM data generated from the MP3 decoder into audio signals, wherein the mobile terminal unit stores the MP3 data and plays the audio signals as well as has a function of mobile communication.

Compared to the related art which produces a mobile terminal unit and an MP3 player respectively so as to bring about unnecessary resource consumption and inconvenience for usage, the present invention realizes a mobile terminal unit having an MP3 player function by adding simple elements thereto. Accordingly, the present invention enables to reduce a hardware cost by carrying out functions of both telephone transceiver and MP3 decoder by a vocoder part constituted with a single DSP chip.

20 **Brief Description of Drawings**

Fig. 1 shows a block diagram of one of mobile terminal units according to a related art; and

Fig. 2 shows a block diagram of a mobile terminal units according to the present invention.

25

Best Mode for Carrying Out the Invention

Reference will now be made in detail to the preferred embodiments of the present invention, examples of which are illustrated in the accompanying drawings.

Fig. 2 shows a block diagram of a mobile terminal units according to the

present invention.

Referring to Fig. 2, a mobile terminal unit 200 according to the present invention includes the elements of the related art such as an antenna 141, an RF & IF circuit part 121, a BBA(base band analog processor) part 123, an RF interface part 125, a CDMA(code division multiple access processor) part 127, a DFM(digital FM, IS-95A) processor part 129, a CPU part 131, a vocoder part 133, a peripheral circuit part 135, a memory part 137, and a voice CODEC part 139.

To add an MP3 player function effectively to the mobile terminal part of the present invention, the elements of the related art is reformed by the following.

10 A PC-IF interface functioning as a signal connection interface to a PC(personal computer) is added to the peripheral circuit part 135. Namely, the PC-IF interface for transceiver is added to the peripheral circuit part of the related art consisting of a UART circuit part, a key pad, SPI(synchronous parallel interface), GPIO(general purpose input output), a ringer.

15 A flash memory for MP3 to store MP3 data is added to the memory part 137 including the related art memory such as RAM, EPROM, flash memory. It is desirable for the flash memory for MP3 to have at least over 8M bytes of a semiconductor device. The flash memory may be substituted by a detachable smart media card or a combination use in case.

20 The vocoder part 133 consisting of a high performance DSP(digital signal processing) chip functions for an MP3 decoder as well as the CDMA and DFM vocoders of the related art by depending on a micro-code built in the DSP.

Not used as a portable wireless phone, the mobile terminal unit of the present invention of which memory part 137, peripheral circuit part 135, and vocoder part 25 133 are improved enables to be used as an MP3 player. Operated as the MP3 player, the mobile terminal unit according to the present invention decodes MP3 data, converts the decoded MP3 data into audio analog signals by DA(digital to analog) conversion, and outputs the signals through earphone(s) or speaker(s).

The present invention may download digital audio data such as MP3, MPEG1,

MPEG2, AAC and the like which are provided by internet or transmission stations so as to play the data.

After MP3 audio data have been downloaded from a PC, digital audio data via the PC are stored in the flash memory of the memory part 137 through the PC-IF interface of the peripheral circuit part 135 before decoding.

In this case, the PC-IF includes an IEEE 1284 ECP protocol using a parallel port or a USB(universal serial bus) using a serial bus. And, in order to store MP3 audio data, the memory requires at least 8 MB larger than the flash memory of the related art so that a detachable memory card such as a smart media card is introduced.

During downloading the data from the PC, the data flow by the manner such that PCIF(interface) of peripheral circuit part 135 _ CPU part 131 _ flash memory of memory part 137.

When MP3 encoded DATA are downloaded from a transmission station, RF signals received by the antenna 141 pass through the RF & IF circuit part 121, the BBA part 123, and the CDMA processor part 127 successively so as to be MP3 signals. The MP3 signals are stored in the flash memory of the memory part 131 by the CPU part. In this case, the data flow by the manner such that RF & IF circuit part 121 _ BBA part 123 _ CDMA processor part 127 _ CPU part _ flash memory of the memory part 137.

The procedure of decoding the MP3 signal is explained in the following.

The encoded audio MP3 data having been stored in the flash memory of the memory part 137 are read and sent to the vocoder part 133 by the CPU part 131.

And, the vocoder 133 restores the data into PCM(pulse code modulation) data of original form in use of a micro-code for CDMA vocoding out of micro-codes for MP3 decoding and CDMA vocoding.

Then, the restored PCM data are sent to the audio CODEC part 139 and outputted through the DAC(digital to analog converter) to embody analog signals having CD audio quality to be connected to an earphone. In this case, analog signals of high quality as good as CD audio are attained from audio CODEC provided that

a DA converter having at least 16 bits of which audio quality is more excellent than the conventional voice CODEC.

A DA function in the audio CODEC is required only for MP3 decoding, while an AD(analog to digital) function as well as the DA is also required for CDMA
5 vocoding or DFM vocoding.

In the above-explained cases, the CPU part 131 carries out a function as a user interface for key control, display control and the like and controls the entire system when MP3 decoding and working as a phone.

10 **Industrial Applicability**

Accordingly, a mobile terminal unit according to the present invention is constituted by adding a flash memory in the memory unit for saving the MP3 data received from the antenna, an interface for communicating data with PC, an MP3 decoder added to the vocoder for converting the MP3 data to PCM data, and a D/A
15 converter for converting the PCM data decoded by the MP3 decoder to audio signal to the mobile terminal unit according to the related art consisting of antenna, CPU, peripheral circuits, vocoder, memory unit, audio CODEC, thereby enabling to save the MP3 data and play the audio signal from the MP3 data.

CLAIMS

1 A mobile terminal unit, the mobile terminal unit including an antenna(141), a CPU part(131), a peripheral circuit part(135), a vocoder part(133), a memory part(137), and an audio CODEC part(139), the mobile terminal unit comprising

5 an MP3 flash memory added to the memory part(137) to store MP3 data;
a PC interface added to the peripheral circuit part(135) to transmit/receive data with a PC.


an MP3 decoder added to the vocoder part 133 to transform the MP3 data into PCM data, and

10 a D/A converter added to the audio CODEC part(139) to transform the PCM data generated from the MP3 decoder into audio signals,


wherein the mobile terminal unit stores the MP3 data and plays the audio signals as well as has a function of mobile communication.

2. The mobile terminal unit according to claim 1, wherein the D/A converter has a processing capacity of at least 16 bits.

1/2



2/2



INTERNATIONAL SEARCH REPORT

International application No.
PCT/KR00/00439

A. CLASSIFICATION OF SUBJECT MATTER		
IPC7 H04B 1/40		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) IPC7 H04B 1/38, 1/40, H04M 1/21, H04L 12/58		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	KR 99-24210 A (JAE-HAN, KIM) 25 MARCH 1999 see page 2, lines 15 - page 3, lines 11 see claim 1, figure 1	1-2
Y,P	KR 99-79660 A (DANAL CORP.) 5 NOVEMBER 1999 see page 3, lines 10 - lines 39 see claims 1-7	1-2
Y,P	KR 99-22020 U (SEONG-KWAN, HEO) 25 JUNE 1999 see page 2, lines 17 - lines 33 see claim 1	1-2
Y,P	KR 00-27473 A (LG ELECTRONIC CORP.) 15 MAY 2000 see abstract see claim 1	1-2
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 25 AUGUST 2000 (25.08.2000)		Date of mailing of the international search report 28 AUGUST 2000 (28.08.2000)
Name and mailing address of the ISA/KR Korean Industrial Property Office Government Complex-Taejon, Dunsan-dong, So-ku, Taejon Metropolitan City 302-701, Republic of Korea Facsimile No. 82-42-472-7140		Authorized officer KIM, Choon Seok Telephone No. 82-42-481-5947

Form PCT/ISA 210 (second sheet) (July 1998)